Notice of Allowability	Application No.	Applicant(s)
	10/645,261	CAO, WEIXUN
	Examiner	Art Unit
	Jean B. Corrielus	2611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/21/07</u> .		
2. The allowed claim(s) is/are 1-13, 15-21, 23-28, renumbered as 1-26, respectively.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. \[\sum \text{Notice of References Cited (PTO-892)} \]	5. ☐ Notice of Informal Pa	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summary	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Date 7. ⊠ Examiner's Amendm	e nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material Output Description: Description: Deposit of Biological Material	8. ⊠ Examiner's Statemen	Jean B Corrielus Primary Examiner Art Unit: 2611

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joe Zheng on 1/2/08.

The application has been amended as follows:

IN THE SPECIFICATION:

Paragraph 0040, line 6, "fraction-N" has been replaced by --fractional-N-- and paragraph 43, last line "a frequency" has been replaced by -an analog--.

IN THE CLAIMS:

The claims have been amended as indicated in the attached copy of proposed claim amendment received from applicant.

2. The following is an examiner's statement of reasons for allowance: Sander et al, US patent publication No. 20040208157, Ahn et al US patent publication No. 20020080891 and Minoda et al US patent No. 5,661,425 disclose similar method and apparatus. However, Sanders, Minoda et al and Ahn et al taken either alone or in combination fail to teach, in combination with the other claim limitations, the following claim limitations of "a phase equalizer, coupled to the adaptive predistorter, configured

Art Unit: 2611

to equalize a time delay between the distorted first and second signals in response to a first control signal provided by a feedback loop operating on a sample of an amplified RF signal to generate equalized first and second signals" as recited in claim 1 and similar limitations recited in claim 12, the limitations " and the sample is down-converted with an output from the VCO and demodulated to facilitate a predistortion calibration in a predistortion calibration unit to update the distorting parameters, and one output from the predistortion calibration unit used to adjust the predistorted phase signal to generate said phase gain signal", as recited in claim 23.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Monday-Thursday from 9:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on 571-272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/645,261 Page 4

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jean/B Corrietus Primary Examiner Art Unit 2611

1-7-08